

Deployment / Silent Install of SoftMaker Office 2016

SoftMaker Office 2016 can be installed silently in just two steps:

- ▶ **Step 1:** Unpack the MSI file from the SoftMaker setup program.
- ▶ **Step 2:** Run a command line to install the MSI file.

Please proceed according to the following instructions:

1. Copy the `ofw2016.exe` file to a local hard disk.
2. Open a command shell (CMD.EXE) in administrator mode. To do this in Windows 7, click on **Start**, type CMD.EXE, then right-click on the found executable in the Start menu and choose "Run as administrator".

Note: If you do not run this as administrator, installation of the MSI file will silently fail.

3. Run this command:

```
ofw2016.exe /ExtractCab
```

4. Select any of the offered languages.

The file `SoftMaker Office 2016.msi` will now be created in the folder `SupportFiles`.

5. Switch to the folder `SupportFiles`.

6. Then run the `msiexec` program to install the MSI file. In the command line, the following parameters may be given:

Mandatory: Choose the folder in which to install SoftMaker Office	APPLICATIONFOLDER="..."	❶
Silent install	/qn	❷
Verbose install	/qb	❸
Select the language for the templates, sample documents etc.	TRANSFORMS=...	❹
Select the SoftMaker Office components to install	ADDLOCAL="..."	❺
Install for all users of this system	ALLUSERS=1	❻
Associate certain document types with SoftMaker Office	OPT_...=1	❼
Create application icons on the desktop	DESKTOPICONS=1	❽
Download the latest Thunderbird and add-ons from the SoftMaker server	DOWNLOADTHUNDERBIRD=1	❾
Install Thunderbird silently	SILENTINSTALL=1	❿

A typical command line on a 32-bit version of Microsoft Windows looks like this:

```
msiexec /i "SoftMaker Office 2016.msi" /qn ADDLOCAL="ALL" ALLUSERS=1  
APPLICATIONFOLDER="c:\Program Files\SoftMaker Office 2016"
```

A typical command line on a 64-bit version of Microsoft Windows looks like this:

```
msiexec /i "SoftMaker Office 2016.msi" /qn ADDLOCAL="ALL" ALLUSERS=1  
APPLICATIONFOLDER="c:\Program Files (x86)\SoftMaker Office 2016"
```

Note: If an older revision of SoftMaker Office 2016 is already installed, you must uninstall it first, or the `msiexec` command will silently fail.

❶ APPLICATIONFOLDER: The installation folder

The parameter `APPLICATIONFOLDER` is mandatory. It lets you specify the folder in which SoftMaker Office will be installed:

```
APPLICATIONFOLDER="m:\Shared\SoftMaker Office 2016"
```

❷ /qn, ❸ /qb: Silent or verbose install

`/qn` initiates a silent install. If you wish to receive feedback during the installation, replace it with `/qb`.

❹ TRANSFORMS: Install supporting files in a specific language

To install supporting files (such as the templates, FAQ document, the default SmartText file or the sample database) in a language other than English, add the `TRANSFORMS` parameter with the desired language:

Arabic	<code>TRANSFORMS=:lng_ar.mst</code>
Bulgarian	<code>TRANSFORMS=:lng_bg.mst</code>
Danish	<code>TRANSFORMS=:lng_da.mst</code>
Dutch	<code>TRANSFORMS=:lng_nl.mst</code>
Estonian	<code>TRANSFORMS=:lng_et.mst</code>
Finnish	<code>TRANSFORMS=:lng_fi.mst</code>
French	<code>TRANSFORMS=:lng_fr.mst</code>
German	<code>TRANSFORMS=:lng_de.mst</code>
Greek	<code>TRANSFORMS=:lng_gr.mst</code>
Hungarian	<code>TRANSFORMS=:lng_hu.mst</code>
Indonesian	<code>TRANSFORMS=:lng_id.mst</code>
Italian	<code>TRANSFORMS=:lng_it.mst</code>
Japanese	<code>TRANSFORMS=:lng_jp.mst</code>
Kazakh	<code>TRANSFORMS=:lng_kk.mst</code>
Korean	<code>TRANSFORMS=:lng_ko.mst</code>
Latvian	<code>TRANSFORMS=:lng_lv.mst</code>
Lithuanian	<code>TRANSFORMS=:lng_lt.mst</code>
Portuguese (Portugal)	<code>TRANSFORMS=:lng_pt.mst</code>
Portuguese (Brazil)	<code>TRANSFORMS=:lng_br.mst</code>
Romanian	<code>TRANSFORMS=:lng_ro.mst</code>
Russian	<code>TRANSFORMS=:lng_ru.mst</code>
Simplified Chinese	<code>TRANSFORMS=:lng_zh.mst</code>
Slovenian	<code>TRANSFORMS=:lng_si.mst</code>
Spanish	<code>TRANSFORMS=:lng_es.mst</code>

Swedish	TRANSFORMS=:lng_se.mst
Turkish	TRANSFORMS=:lng_tr.mst
Ukrainian	TRANSFORMS=:lng_ua.mst

If a localized version of a supporting file is not available, the English version will automatically be installed instead.

Here is an example for installing with German supporting files:

```
msiexec /i "SoftMaker Office 2016.msi" /qn TRANSFORMS=:lng_de.mst ADDLOCAL="ALL" ALLUSERS=1 APPLICATIONFOLDER="c:\Program Files\SoftMaker Office 2016"
```

⑤ ADDLOCAL: Select the program components to install

The `ADDLOCAL` parameter lets you choose one or more program components to install. Separate the items to install with a comma. The special parameter `ALL` marks all components for installation.

So, to do a full install, add this parameter:

```
ADDLOCAL="ALL"
```

Otherwise choose one or more items from the following list:

Install TextMaker	FEATURE_TM
Install PlanMaker	FEATURE_PM
Install BasicMaker	FEATURE_BM
Install SoftMaker Presentations	FEATURE_PR
Install the SMASH application shell	FEATURE_SMASH
Install German user interface, samples and templates	FEATURE_LANG_DE
Install US English user interface, samples and templates	FEATURE_LANG_ENUS
Install UK English user interface, samples and templates	FEATURE_LANG_ENUK
Install French user interface, samples and templates	FEATURE_LANG_FR
Install Italian user interface, samples and templates	FEATURE_LANG_IT
Install Spanish user interface, samples and templates	FEATURE_LANG_ES
Install Portuguese (Brazil) user interface, samples and templates	FEATURE_LANG_PT
Install Portuguese (Portugal) user interface, samples and templates	FEATURE_LANG_PTPO
Install Dutch user interface, samples and templates	FEATURE_LANG_NL
Install Danish user interface, samples and templates	FEATURE_LANG_DK
Install Swedish user interface, samples and templates	FEATURE_LANG_SE
Install Finnish user interface, samples and templates	FEATURE_LANG_FI
Install Estonian user interface, samples and templates	FEATURE_LANG_EE
Install Latvian user interface, samples and templates	FEATURE_LANG_LV
Install Lithuanian user interface, samples and templates	FEATURE_LANG_LT

Install Slovenian user interface, samples and templates	FEATURE_LANG_SI
Install Hungarian user interface, samples and templates	FEATURE_LANG_HU
Install Romanian user interface, samples and templates	FEATURE_LANG_RO
Install Greek user interface, samples and templates	FEATURE_LANG_GR
Install Turkish user interface, samples and templates	FEATURE_LANG_TR
Install Kazakh user interface, samples and templates	FEATURE_LANG_KZ
Install Russian user interface, samples and templates	FEATURE_LANG_RU
Install Ukrainian user interface, samples and templates	FEATURE_LANG_UA
Install Bulgarian user interface, samples and templates	FEATURE_LANG_BG
Install Simplified Chinese user interface, samples and templates	FEATURE_LANG_ZH
Install Japanese user interface, samples and templates	FEATURE_LANG_JP
Install Korean user interface, samples and templates	FEATURE_LANG_KR
Install Indonesian user interface, samples and templates	FEATURE_LANG_ID
Install Arabic user interface, samples and templates	FEATURE_LANG_AR
Install German spell checker	FEATURE_SPELL_DEDE
Install UK English spell checker	FEATURE_SPELL_ENUK
Install US English spell checker	FEATURE_SPELL_FRFR
Install Italian spell checker	FEATURE_SPELL_IT
Install Spanish spell checker	FEATURE_SPELL_ESES
Install Portuguese spell checker	FEATURE_SPELL_PTPT
Install Dutch spell checker	FEATURE_SPELL_NL
Install Danish spell checker	FEATURE_SPELL_DK
Install Swedish spell checker	FEATURE_SPELL_SE
Install Norwegian spell checker	FEATURE_SPELL_NO
Install Russian spell checker	FEATURE_SPELL_RU
Install Arabic spell checker	FEATURE_SPELL_AR
Install Greek spell checker	FEATURE_SPELL_GR
Install Duden dictionaries (only SoftMaker Office Professional; German customers only)	FEATURE_DUDEN
Install Langenscheidt dictionaries (only SoftMaker Office Professional; German customers only)	FEATURE_LANGENSCHIEDT_DE
Install Duden Korrektor (only SoftMaker Office Professional; German customers only)	FEATURE_DPF
Install Equation Editor	FEATURE_EQEDT

Install supplementary fonts (Glasgow, MicroSquare, Seagull, Toledo) used by the templates and samples	FEATURE_FONTS
Install Thunderbird	FEATURE_TB_TB
Install the "Provider for Google Calendar" add-on for Thunderbird	FEATURE_TB_GCAL
Install the Enhanced User Interface add-on for Thunderbird	FEATURE_TB_ENH_UI
Install the "Modern theme" for Thunderbird	FEATURE_TB_SM_THEME
Install the "Fast autocompletion of e-mail addresses" add-on for Thunderbird	FEATURE_TB_ADDR_AC
Install the "Import eM Client database" add-on for Thunderbird	FEATURE_TB_IMP_EMCLIENT

Simply list all the features that you need, separated by commas:

```
ADDLOCAL="FEATURE_TM,FEATURE_PM,FEATURE_LANG_ENUS,FEATURE_SPELL_ENUK,FEATURE_SMASH"
```

Example command line:

```
msiexec /i "SoftMaker Office 2016.msi" /qn TRANSFORMS=:lng_de.mst
ADDLOCAL="FEATURE_TM,FEATURE_PM,FEATURE_LANG_ENUS,FEATURE_SPELL_ENUK,FEATURE_SMASH"
ALLUSERS=1 APPLICATIONFOLDER="c:\Program Files\SoftMaker Office 2016"
```

⑥ ALLUSERS: Install for all users on the system

During installation, icons for the SoftMaker Office applications will be created in the Windows Start menu. It is recommended to add the following parameter which creates these icons for *all users* of the computer:

```
ALLUSERS=1
```

⑦ OPT_DOC etc.: Associate file types with SoftMaker Office

To associate certain file types (such as DOC or XLS) with SoftMaker Office, add one or more of the following parameters:

Associate .DOC files (Microsoft Word 6.0 to 2016) with TextMaker	OPT_DOC=1
Associate .DOCX files (Microsoft Word 2007 to 2016) with TextMaker	OPT_DOCX=1
Associate RTF files with TextMaker	OPT_RTF=1
Associate .ODT files (OpenDocument, OpenOffice, LibreOffice) with TextMaker	OPT_ODT=1
Associate .PSW files (Pocket Word on the Pocket PC) with TextMaker	OPT_PPCDOC=1
Associate .PWD files (Pocket Word on the Handheld PC) with TextMaker	OPT_PCEDOC=1
Associate .XLS files (Microsoft Excel 5.0 to 2016) with PlanMaker	OPT_XLS=1
Associate .XLSX files (Microsoft Excel 2007 to 2016) with PlanMaker	OPT_XLSX=1
Associate .PPT files (Microsoft PowerPoint 97 to 2016) with Presentations	OPT_PPT=1
Associate .PPTX files (Microsoft PowerPoint 2007 to 2016) with Presentations	OPT_PPTX=1

Example command line:

```
msiexec /i "SoftMaker Office 2016.msi" /qn  
ADDLOCAL="FEATURE_TM,FEATURE_PM,FEATURE_BM,FEATURE_PR,FEATURE_LANG_ENUS,FEATURE_SPELL_DEDE,FEATURE_SPELL_ENUK,FEATURE_EQEDT" ALLUSERS=1 APPLICATIONFOLDER="c:\Program Files\SoftMaker Office 2016" OPT_DOC=1 OPT_DOCX=1 OPT_XLS=1 OPT_XLSX=1 OPT_PPT=1  
OPT_PPTX=1
```

⑧ ⑨ ⑩ Miscellaneous options

The following miscellaneous options also exist:

Create application icons on the desktop (this option is on by default; specify DESKTOPICONS=0 to suppress the icons)	DESKTOPICONS=1
Download the latest Thunderbird and add-ons from the SoftMaker download server site (this option is on by default; specify DOWNLOADTHUNDERBIRD=0 to suppress it)	DOWNLOADTHUNDERBIRD=1
Install Thunderbird silently	SILENTINSTALL=1

/lv*: Tracing the installation

If you experience problems with the MSI installation, you should instruct it:

- to be verbose: In the command line, replace the /qn parameter with /qb
- to create a log file: Add the /lv* Logfile.txt parameter to the command line.

Example command line:

```
msiexec /i "SoftMaker Office 2016.msi" /qb TRANSFORMS=:lng_de.mst /lv* Logfile.txt
```

If you need to contact our support team because of installation problems, please *always* include this log file with your e-mail.